


## DOBSON ORTHO LABORATORY, INC.


2130 Hilton Drive, Suite B Gainesville, GA 30501


Tel: (888) 599-7890 GA: (470) 290-8601


Fax: (470) 290-8600 dobsonortho.com

## **ACRYLIC SPLINT DESIGNS**










OTHER DESIGNS	Upper	Lower
Dual Laminate		
Soft Vinyl		
Clasping options not available with soft vinyl or dual hardness materials.		

## **CAD / PRINTED SPLINT DESIGNS**

Scans should be sent in occlusion and pre-opened to desired printed bite thickness.

OK to adjust bite, if needed.




CAD / PRINTED FL	AT PLANE
☐ Upper	6000
Lower	
*clasping not available	R UPPER L

ı	SEND ADDITIONAL	
ı	☐ RX FORMS (AVAILABLE ON WEBSITE	≣)
ı	☐ PREPAID LABELS ☐ SHIPPING BOX	KES

	•	
	LAB USE ONLY	
DOCTOR	ACCT#	

ADDRESS		
CITY	STATE	ZIP
PHONE	FAX	
EMAIL		
PATIENT NAME		
DATE SHIPPED	DATE REQ'D	
*Case will ship to arrive before the APPOINTMENT DATE.  Please account for transit time to/from your office.	APPT DATE*	
☐ APPROVED TO CHARGE FOR EXPEDITED		
☐ CONTACT ME REGARDING CASE ☐ VIA	PHONE   VI	A EMAIL

SPLINT CONSTRUCTION  Articulated Models Enclosed
☐ Panadent ☐ SAM ☐ Denar
☐ Use Enclosed Wax Bite
☐ Articulate Models with Average Opening
☐ Advance Mandiblemm
CLASPING OPTIONS (Indicate Position)
☐ Ball Clasps
☐ Adams Clasps
☐ Arrow Clasps



SPECIAL INSTRUCTIONS		

DR. SIGNATURE: /s/	
LICENSE NUMBER:	EXPIRES: